	Hits	Search Text	DBs
1	163	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1	("6023708").PN.	USPAT; USOCR
3	1	("6085192").PN.	USPAT; USOCR
4	1	("6131116").PN.	USPAT; USOCR
5	632	((authorized or authenticated) near5 (process or applet or application or code or program)) with (access near3 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	85	authorized with applet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	9	(authorized with applet) same ((request$3 or access$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	642	applet with ((access$3 or request$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	439	applet near5 ((access$3 or request$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	88	(applet near5 ((access$3 or request$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	"5847957".URPN.	USPAT
13	25	("5204947" | "5239466" | "5283861" | "5315711" | "5349675" | "5479599" | "5483631" | "5497463" | "5699494" | "5715453" | "5727135" | "5727155" | "5742759" | "5761421" | "5761656" | "5778356" | "5801689" | "5801707" | "5802530" | "5805442" | "5812826" | "5845299" | "5847957" | "5949412" | "5956036").PN.	USPAT
14	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

15	8155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls.	USPAT

	Hits	Search Text	DBs
16	145	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229 .ccls. and ((applet or activex or "active x") same (authenticat$3 or authoriz$5))	USPAT
17	21	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT
18	65	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT
19	10	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT
20	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT
21	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT
22	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
23	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT
24	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
25	5	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229 .ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT
26	1	("5815574").PN.	USPAT; USOCR
27	8155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229 .ccls.	USPAT
28	60	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229 .ccls. and passport	USPAT
29	2	("5710817" | "5835595").PN.	USPAT
30	5	"6005939".URPN.	USPAT

	Hits	Search Text	DBs
31	13	("5081678" | "5452433" | "5455953" | "5463690" | "5623546" | "5671279" | "5719942" | "5724423" | "5737414" | "5737422" | "5784463" | "5835595" | "5852666").PN.	USPAT
32	27	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz$5 or authenticat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	("6587836").PN.	USPAT; USOCR
34	9	riggins-mark-d.in.	US-PGPUB; USPAT
35	1	("6708221").PN.	USPAT; USOCR
36	336	(certificate or credential or sso or (single adj sign$1on)) near5 ((id or identi$8) near3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	10	"6055637".URPN.	USPAT
38	4	("4471216" | "5005200" | "5534855" | "5757920").PN.	USPAT
39	134	(certificate or token or passport or cookie) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	5	(applet or "active x" or activex) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	1	("6711681").PN.	USPAT; USOCR
42	7	("5710817" | "5774551" | "5848412" | "6023762" | "6035406" | "6105132" | "6304973").PN.	USPAT
43	552	(privilege or credential or "access right") near5 (chang$3 or alter$3 or adjust$3)	USPAT
44	11	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3))	USPAT
45	1	("4135240").PN.	USPAT; USOCR
46	23	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3 or augment$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	27	(end$3 or terminat$3 or kill$3 or destroy$3 or remov$3 or delet$3) near4 (certificate or cookie or passport or credential or privilege or "access right") with	USPAT; EPO; JPO; DERWENT; IBM_TDB

		(instruc$3 or order$3)	

	Hits	Search Text	DBs
48	41	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir$5 or invalid) with (destroy$3 or discard$3 or remov$3 or delet$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	37	(regist$6 near4 (telephone or phone)) with (assign$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	53	(regist$6 near4 (telephone or phone)) same ((assign$3 or distribut$3) near3 (password or code or secret or passphrase or ($cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	16	(password near3 (assign$3 or distribut$3)) with $phone same regist$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	114	705/76.ccls.	USPAT
53	1940	((user or buyer or subscriber or customer) near4 (regist$5 or enroll$4 or subscri$5)) same ((via or using or over) near5 $phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	98	(((user or buyer or subscriber or customer) near4 (regist$5 or enroll$4 or subscri$5)) same ((via or using or over) near5 $phone) and @ad<"19980401") and ((receiv$3 or acquir$3 or assign$3 or distribut$3) near3 (password or ($cryption key)) same $phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	192	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	9	(authorized with applet) same ((request$3 or access$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	88	(applet near5 ((access$3 or request$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	21	"5847957".URPN.	USPAT

	Hits	Search Text	DBs
60	25	("5204947" | "5239466" | "5283861" | "5315711" | "5349675" | "5479599" | "5483631" | "5497463" | "5699494" | "5715453" | "5727135" | "5727155" | "5742759" | "5761421" | "5761656" | "5778356" | "5801689" | "5801707" | "5802530" | "5805442" | "5812826" | "5845299" | "5847957" | "5949412" | "5956036").PN.	USPAT
61	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") same (authenticat$3 or authoriz$5))	USPAT
63	27	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT
64	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT
65	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT
66	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT
67	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT
68	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
69	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT
70	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT

71	6	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT

	Hits	Search Text	DBs
72	74	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229 .ccls. and passport	USPAT
73	8	"6005939".URPN.	USPAT
74	13	("5081678" | "5452433" | "5455953" | "5463690" | "5623546" | "5671279" | "5719942" | "5724423" | "5737414" | "5737422" | "5784463" | "5835595" | "5852666").PN.	USPAT
75	34	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz$5 or authenticat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	11	riggins-mark-d.in.	US-PGPUB; USPAT
77	130	(certificate or credential or sso or (single adj sign$1on)) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	4	("4471216" | "5005200" | "5534855" | "5757920").PN.	USPAT
79	156	(certificate or token or passport or cookie) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	6	(applet or "active x" or activex) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	7	("5710817" | "5774551" | "5848412" | "6023762" | "6035406" | "6105132" | "6304973").PN.	USPAT
82	13	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3))	USPAT
83	25	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3 or augment$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	44	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir$5 or invalid) with (destroy$3 or discard$3 or remov$3 or delet$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB

| 85 | 40 | (regist$6 near4 (telephone or phone)) with (assign$3 near3 (password or code or secret or passphrase or key)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

	Hits	Search Text	DBs
86	60	(regist$6 near4 (telephone or phone)) same ((assign$3 or distribut$3) near3 (password or code or secret or passphrase or ($cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	18	(password near3 (assign$3 or distribut$3)) with $phone same regist$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	98	(((user or buyer or subscriber or customer) near4 (regist$5 or enroll$4 or subscri$5)) same ((via or using or over) near5 $phone) and @ad<"19980401") and ((receiv$3 or acquir$3 or assign$3 or distribut$3) near3 (password or ($cryption key)) same $phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB